

1. Asadullah, Khair-un-Nisa, Omer MT, Syed AA, Khalid J, Askari Begum. 2010. Study to evaluate the impact of heat treatment on water-soluble vitamins in milk. *J Pak Med Assoc* 60:909–12.
2. Berti C, Fekete K, Dullemeijer C, Trovato M, Souverein OW, Cavelaars A, et al. Folate intake and markers of folate status in women of reproductive age, pregnant and lactating women: a meta-analysis. *J Nutr Metab.* 2012;2012:470656
3. Bonisch MP, Lauber S, Kulozik U. 2004. Effect of ultra-high-temperature treatment on the enzymatic cross-linking of micellar casein and sodium caseinate by transglutaminase. *J Food Sci* 69:398–404.
4. Bouteldja N, Timson DJ. The biochemical basis of hereditary fructose intolerance. *J Inherit Metab Dis.* 2010 Apr;33(2):105–12
5. Bruno RS, Leonard SW, Park SI, Zhao Y, Traber MG. Human vitamin E requirements assessed with the use of apples fortified with deuterium-labeled alpha-tocopheryl acetate. *Am J Clin Nutr.* 2006 Feb;83(2):299–304.
6. Cantorna, M.T., Y. Zhu, M.F. Roicu, and A. Wittke. 2004. Vitamin D Status, 1,25-dihydroxyvitamin D₃, and the Immune System. *American Journal of Clinical Nutrition* 80:1717S–1720S.
7. Carbohydrates in human nutrition. Joint FAO/WHO Expert Consultation. Rome: Food and Agriculture Organization, World Health Organization, 1998, Report No.: 66
8. Cattaneo S, Masotti F, Pellegrino L. 2008. Effects of overprocessing on heat damage of UHT milk. *Eur Food Res Technol* 226:1099–106.
9. Coudray C, Demigne C, Rayssiguier Y. Effects of dietary fibers on magnesium absorption in animals and humans. *J Nutr.* 2003 Jan;133(1):1–4
10. Coyle EF, Coggan AR, Hemmert MK, Ivy JL. Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J Appl Physiol.* 1986;61:165-172
11. Crim MC, Munro HN. Proteins and amino acids. In: Shils ME, Olson JA, editors. *Modern nutrition in health and disease.* 8 ed. Malvern, USA: Lea & Febiger; 1994.
12. Cummings JH, Bingham SA, Heaton KW, Eastwood MA. Fecal weight, colon cancer risk, and dietary intake of nonstarch polysaccharides (dietary fiber). *Gastroenterology.* 1992 Dec;103(6):1783–9.
13. Cummings JH, Rombeau J, Sakata T, editors. *Physiological and clinical aspects of short-chain fatty acids.* Cambridge: Cambridge University Press; 1995.
14. D’Elia L, Barba G, Cappuccio FP, Strazzullo P. Potassium intake, stroke, and cardiovascular disease a metaanalysis of prospective studies. *J Am Coll Cardiol.* 2011 Mar 8;57(10):1210–9
15. de Castro JM. The time of day of food intake influences overall intake in humans. *J Nutr* 2004;134:104-111.
16. De la Hunty A, Wallace AM, Gibson S, Viljakainen H, Lamberg-Allardt C, Ashwell M. UK Food Standards Agency Workshop Consensus Report: the choice of method for measuring 25-hydroxyvitamin D to estimate vitamin D status for the UK National Diet and Nutrition Survey. *Br J Nutr.* 2010 Aug;104(4):612–9.
17. Deeth HC, Datta N. 2003. Heating systems. In Roginski H, Fuquay JW, Fox PF, editors. *Encyclopedia of dairy sciences*, Vol. 4 London, U.K. : Academic Press. p 2642–52.
18. Deshmukh-Taskar PR, Nicklas TA, O’Neil CE, Keast DR, Radcliffe JD, Cho S. The relationship of breakfast skipping and type of breakfast consumption with nutrient intake and weight status in children and adolescents: the National Health and Nutrition Examination Survey 1999–2006. *J Am Diet Assoc* 2010;110:869–78.
19. *Dietary guidelines for Americans.* 7th ed. Dept. of Agriculture, Dept. of Health and Human Services. Washington, D.C.: U.S. Government Printing Office, 2010.
20. *Dietary protein quality evaluation in human nutrition.* Report of an FAO Expert Consultation. Rome: Food and Agriculture Organization, 2013.
21. *Dietary protein quality evaluation in human nutrition.* Report of an FAO Expert Consultation. Auckland, New Zealand: FAO 2013 Report No.: 92.

22. Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients). Institute of Medicine of the National Academies. Washington, D.C.: The National Academies Press, 2005.
23. Dietary reference intakes for energy, carbohydrates, fiber, fat, protein and amino acids (Macronutrients). 7. Dietary, functional, total fiber. The National Academy of Sciences; 2002. p. 7–1 – 7–69.
24. Dietary reference intakes for vitamin C, vitamin E, selenium, and carotenoids. Washington DC: Institute of Medicine, National Academy of Sciences, Food and Nutrition Board;2000.
25. EFSA panel on dietetic products NaaN. Scientific Opinion on the substantiation of health claims related to zinc. EFSA Journal. 2009;7(9):1229.
26. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. EFSA Journal. 2010;8(3):77.
27. EFSA. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on Dietary Reference Values for protein. EFSA Journal. 2012;10:2557.
28. EFSA. Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol. EFSA Journal 2010;8:1461.
29. EFSA. Scientific Opinion on the Tolerable Upper Intake Level of eicosapentaenoic acid (EPA), docosahexaenoic acid (DHA) and docosapentaenoic acid (DPA). EFSA Journal 2012;10:2815.
30. Eritsland J. Safety considerations of polyunsaturated fatty acids. The American journal of clinical nutrition. 2000 Jan;71(1 Suppl):197S-201S.
31. European Food Safety Authority. Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. EFSA Journal. 2010;8(3): 77
32. European Food Safety Authority. Scientific Opinion on Dietary Reference Values for protein. EFSA Journal 2012;10(2): 2557.
33. Fats and fatty acids in human nutrition. Report of an expert consultation. 10–14 November 2008, Geneva. Rome: FAO/WHO Food and Agricultural Organisation of the United Nations 2010 Report No.: 91.
34. Gaucher I, Boubellouta T, Beaucher E, Piot M, Gaucheron F, Dufour E. 2008. Investigation of the effects of season, milking region, sterilisation process and storage conditions on milk and UHT milk physico-chemical characteristics: a multidimensional statistical approach. Dairy Sci Technol 88:291–312.
35. Gopinath B, Flood VM, Rochtchina E, Thiagalingam A, Mitchell P. Serum homocysteine and folate but not vitamin B12 are predictors of CHD mortality in older adults. Eur J Prev Cardiol. 2012 Dec;19(6):1420–9.
36. Gösta B. 2003. Dairy processing handbook. Chapter 9, 2nd ed. Lund , Sweden : Tetra Pak Processing Systems, S-221 86. p 227–44.
37. Goyens PL, Spilker ME, Zock PL, Katan MB, Mensink RP. Conversion of alpha-linolenic acid in humans is influenced by the absolute amounts of alpha-linolenic acid and linoleic acid in the diet and not by their ratio. Am J Clin Nutr. 2006 Jul;84(1):44–53.
38. Gulseth HL, Gjelstad IM, Tierney AC, Shaw DI, Helal O, Hees AM, et al. Dietary fat modifications and blood pressure in subjects with the metabolic syndrome in the LIPGENE dietary intervention study. The British journal of nutrition. 2010 Jul;104(2):160–3.
39. Hambraeus L, Lönnerdal B. Nutritional aspects of milk proteins. In: Fox PF, McSweeney PLH, editors. Advanced dairy chemistry – 1 Proteins. 3 ed. New York: Kluwer Academic/Plenum Publishers; 2003. p. 605–45
40. Hartikainen H. Biogeochemistry of selenium and its impact on food chain quality and human health. J Trace Elem Med Biol. 2005;18(4):309–18.
41. <http://www.milkfacts.info/Nutrition%20Facts/Milk%20and%20Human%20Health.htm>
42. Human vitamin and mineral requirements: Report of a FAO/WHO expert consultation. Bangkok, Thailand: FAO/WHO 2001.

43. Jenkins DJ, Wolever TM, Taylor RH, Barker H, Fielden H, Baldwin JM, et al. Glycemic index of foods: a physiological basis for carbohydrate exchange. *Am J Clin Nutr.* 1981 Mar;34(3):362–6.
44. Joint FAO/WHO Expert Consultation. Carbohydrates in human nutrition. Rome: Food and Agriculture Organization. World Health Organization 1998 Report No.: 66.
45. Kriengsinyos W, Rafii M, Wykes LJ, Ball RO, Pencharz PB. Long-term effects of histidine depletion on whole-body protein metabolism in healthy adults. *J Nutr.* 2002 Nov;132(11):3340–8.
46. Kris-Etherton, P.M., and S. Innis. 2007. Position of the American Dietetic Association and Dietitians of Canada: Dietary Fatty Acids. *Journal of the American Dietetic Association*; 107: 1599–1611.
47. Laidlaw SA, Kopple JD. Newer concepts of the indispensable amino acids. *Am J Clin Nutr.* 1987 Oct;46(4):593–605.
48. Larsson CL, Johansson GK. Dietary intake and nutritional status of young vegans and omnivores in Sweden. *Am J Clin Nutr.* 2002 Jul;76(1):100–6
49. Larsson SC, Wolk A. Magnesium intake and risk of type 2 diabetes: a meta-analysis. *J Intern Med.* 2007 Aug;262(2):208–1
50. Lauritzen L, Hansen HS, Jorgensen MH, Michaelsen KF. The essentiality of long chain n-3 fatty acids in relation to development and function of the brain and retina. *Prog Lipid Res.* 2001 JanMar;40(1–2):1–94
51. Leidy, HJ, Ortinau LC, Douglas SM, Hoertel HA. Beneficial effects of a higher-protein breakfast on the appetitive, hormonal, and neural signals controlling energy intake regulation in overweight/obese, “breakfast-skipping,” late-adolescent girls. *Am J Clin Nutr* 2013;97:677-688.
52. Levine SA, Gordon B, Derrick CL. Some changes in the chemical constituents of the blood following a marathon race: with special reference to development of hypoglycemia. *JAMA* 1924;82:1778-1779.
53. Mann J, Cummings JH, Englyst HN, Key T, Liu S, Riccardi G, et al. FAO/WHO scientific update on carbohydrates in human nutrition: conclusions. *Eur J Clin Nutr.* 2007 Dec;61 Suppl 1: S132–7
54. McKinley MC, McNulty H, McPartlin J, Strain JJ, Pentieva K, Ward M, et al. Low-dose vitamin B-6 effectively lowers fasting plasma homocysteine in healthy elderly persons who are folate and riboflavin replete. *Am J Clin Nutr.* 2001 Apr;73(4):759–64.
55. Mock DM, Quirk JG, Mock NI. Marginal biotin deficiency during normal pregnancy. *Am J Clin Nutr.* 2002 Feb;75(2):295–9
56. Nakano H, McMahon LG, Gregory JF, 3rd. Pyridoxine-5'-beta--glucoside exhibits incomplete bioavailability as a source of vitamin B-6 and partially inhibits the utilization of co-ingested pyridoxine in humans. *J Nutr.* 1997 Aug;127(8):1508–13
57. Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Vitamin B1. European Commission. Health and Consumer Protection Directorate General. Scientific Committee on Food. 2001.
58. Opinion of the Scientific Committee on Food on the tolerable upper intake level of niacin (expressed on 17 April 2002). Scientific Committee on Food. 2002
59. Opinion of the Scientific Committee on Food on the tolerable upper intake level of vitamin B6 (expressed on 19 October 2000) European Commission. Health and Consumer Protection Directorate General, Scientific Committee on Food; 2000
60. Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Biotin: European Commission. Scientific Committee on Food, 2001.
61. Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Pantothenic Acid. European Commission. Health and Consumer Protection Directorate General. Scientific Committee on Food. 2002

62. Rand WM, Pellett PL, Young VR. Meta-analysis of nitrogen balance studies for estimating protein requirements in healthy adults. *Am J Clin Nutr*. 2003 Jan;77(1):109–27.
63. Reeds PJ. Dispensable and indispensable amino acids for humans. *J Nutr*. 2000 Jul;130(7):1835S-40S
64. René Rizzoli, et al for the ESCEO Task Force Maturitas. The role of dietary protein and vitamin D in maintaining musculoskeletal health in postmenopausal women: A consensus statement from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). *The European Menopausal Journal*. 2014 Sept;79(1): 122–132.
65. Sakata T. Effects of short-chain fatty acids on gastro-intestinal epithelial cells. In: Cherbut C, Barry JL, editors. *Dietary Fibre: Mechanisms of action in human physiology*: John Libbey, Eurotext; 1995. p. 61–8.
66. Salmeron J, Ascherio A, Rimm EB, Colditz GA, Spiegelman D, Jenkins DJ, et al. Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care*. 1997 Apr;20(4):545–50.
67. Sandercock GRH, Voss C, Dye L. Associations between habitual school-day breakfast consumption, body mass index, physical activity and cardiorespiratory fitness in English schoolchildren. *Eur J Clin Nutr* 2010;64:1086-1092.
68. Scholey AB, Harper S, Kennedy DO. Cognitive demand and blood glucose. *Physiol Behav* 2001;73:585-592.
69. Schulze MB, Schulz M, Heidemann C, Schienkiewitz A, Hoffmann K, Boeing H. Fiber and magnesium intake and incidence of type 2 diabetes: A prospective study and meta-analysis. *Archives of Internal Medicine*. 2007;167(9): 956–65
70. Scientific Opinion on the Tolerable Upper Intake Level of vitamin D. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) *EFSA Journal*. 2012;10(7):2813
71. Semba RD, Houston DK, Bandinelli S, Sun K, Cherubini A, Cappola AR, et al. Relationship of 25-hydroxyvitamin D with all-cause and cardiovascular disease mortality in older community-dwelling adults. *European journal of clinical nutrition*. 2010 Feb;64(2):203–9
72. Sonestedt E, Overby NC, Laaksonen DE, Birgisdottir BE. Does high sugar consumption exacerbate cardiometabolic risk factors and increase the risk of type 2 diabetes and cardiovascular disease? *Food Nutr Res*. 2012;56.
73. Speedhly DP, Buffenstein R. Greater appetite control associated with an increased frequency of eating in lean males. *Appetite* 1999;33:285-297.
74. Speedhly DP, Rogers GG, Guffenstein R. Acute appetite reduction associated with an increased frequency of eating in obese males. *Int J Obes Relat Metab Disord* 1999;23:1151-1159.
75. Takahashi Y, Kipnis DM, Daughaday WH Growth hormone secretion during sleep. *J Clin Invest* 1968;47:2079-2090.
76. The 5th edition, the Nordic Nutrition Recommendations 2012
77. Tolerable upper intake levels for vitamins and minerals: EFSA: Scientific Committee on Food, Scientific Panel on Dietetic Products Nutrition and Allergies;2006
78. Van der Heijden A|AWA, Hu FB, Rimm EB, van Dam RM. A prospective study of breakfast consumption and weight gain among U.S. Men. *Obesity* 2007;15:2463-2469.
79. Vitamin and mineral requirements in human nutrition. Second ed, WHO/FAO 2004.
80. Vogiatzoglou A, Smith AD, Nurk E, Berstad P, Drevon CA, Ueland PM, et al. Dietary sources of vitamin B-12 and their association with plasma vitamin B-12 concentrations in the general population: the Hordaland Homocysteine Study. *Am J Clin Nutr*. 2009 Apr;89(4):1078–87.
81. Weitzman ED, Fukushima D, Nogeire C, Roffwarg H, Gallagher TF, Hellman L. Twenty-four hour pattern of the episodic secretion of cortisol in normal subjects. *J Clin Endocrinol Metab* 1971;33:14-22.
82. Wesnes, KA, Pincock C, Richardson D, Helm G, Hails S. Breakfast reduces declines in attention and memory over the morning in schoolchildren. *Appetite* 2003;41:329-331.

83. WHO. Protein and amino acids requirements in human nutrition: Report of a Joint WHO/FAO/UNU Expert Consultation.: World Health Organization 2007 Report No.: 935.
84. Wolever TM, Jenkins DJ. The use of the glycemic index in predicting the blood glucose response to mixed meals. *Am J Clin Nutr.* 1986 Jan;43(1):167–72.
85. Wright AJ, King MJ, Wolfe CA, Powers HJ, Finglas PM. Comparison of (6S)-5-methyltetrahydrofolic acid v. folic acid as the reference folate in longer-term human dietary intervention studies assessing the relative bioavailability of natural food folates: comparative changes in folate status following a 16-week placebocontrolled study in healthy adults. *Br J Nutr.* 2010 Mar;103(5):724–9